Appleton Locks and Dams, Sanitary Building at Lock 2
South of the upper gate at the west end of the waste weir
Appleton
Outagamie County
Wisconsin

HAER No. WI-84-H

HAER WIS 44-APPL, IH-

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

HISTORIC AMERICAN ENGINEERING RECORD
Rocky Mountain System Support Office
National Park Service
P.O. Box 25287
Denver, Colorado 80225-0287

HISTORIC AMERICAN ENGINEERING RECORD

44- APPL 1 H-

APPLETON LOCKS AND DAMS, SANITARY BUILDING AT LOCK 2

HAER NO. WI-84-H

Location:

The sanitary building at Appleton Lock 2 of the Appleton Locks and Dams Complex is located near the lock 2 waste weir, in the NE1/4, NE1/4. SW1/4, NE1/4, Section 35, T21N, R17E, Civil Town of Grand Chute. Outagamie County, Wisconsin.

UTM: 16/388170/4900900; USGS Quadrangle: Appleton, Wisconsin 7.5'

series

Date of

Construction:

1970

Engineer:

United States Army Corps of Engineers with Contractors

Architect:

United States Army Corps of Engineers with Contractors

Present Owner:

United States Army Corps of Engineers

Present Use:

Toilet and washing facilities for lock personnel.

Significance:

The sanitary building serves as part of the daily operation of the Appleton

Locks and Dams Complex.

Project Information:

This documentation was undertaken in 1995 in accordance with requirements detailed in a June 19, 1994 letter from Gregory D. Kendrick, Chief, History Branch, NPS to Dale Monteith, Acting Chief, Planning Division, USACOE, Detroit District. The Lower Fox system remains basically operational but was placed in caretaker status by the USACOE in 1982. The USACOE plans to divest itself of the Lower Fox system as soon as is feasible; therefore, NPS requested this documentation. All

documentation conforms to HAER standards.

Dr. John D. Richards, Principal Investigator; Georgia A. Lusk, Patricia B. Richards, and Robert J. Watson, Project Archivists with Great Lakes Archaeological Research Center, Inc.; Joseph Paskus, Project

Photographer.

SANITARY BUILDING

A sanitary structure is located at the head of the waste weir on the southwest corner of Appleton Lock 2. The sanitary building is a rectangular cinder block building constructed on a concrete foundation. The building houses the toilet facilities for the first lock. It is painted blue with white eaves. It has an overhanging roof pitched slightly to the rear with a protruding metal pipe capped by a revolving, louvered vent.